## logitech®



# DATA SHEET LOGITECH RALLY BAR MINI

Simplicity meets versatility with Rally Bar Mini, Logitech's most advanced all-in-one video bar for small meeting rooms and huddle spaces. With studio-quality audio and video, Aldriven performance, and flexible deployment options, Rally Bar Mini sets a new standard for small room collaboration.

# PREMIER VIDEO BAR FOR SMALL MEETING ROOMS

Rally Bar Mini is Logitech's premier all-in-one video bar for small rooms and huddle spaces.

It's remarkably simple to use, manage, and deploy at scale, delivering the capabilities of larger video bars like Logitech Rally Bar in a compact form factor for smaller spaces. With studio-quality audio and video, motorized pan and tilt, and Al-powered performance, Rally Bar Mini sets new standards for video collaboration.

Scalable across hundreds or thousands of rooms, Rally Bar Mini offers clutter-free cable management, multiple mounting options, and flexible deployment modes. Plug and play with virtually any PC or Mac, or run supported video conferencing applications on the device without a computer.



## SIMPLE TO SET UP

## **USB Plug and Play**

Easily connects to virtually any PC or Mac<sup>®</sup>, with no additional software required

## **Appliance Mode**

Built-in compute allows you to run supported video conferencing applications such as Zoom directly on the device

## All-in-One Design

Sleek, minimal footprint expedites setup and reduces clutter

## Streamlined, Flexible Installs

Confidently deploy at scale with smart cable management and multiple mounting options



## SIMPLE TO USE

## **RightSense Technologies**

#### RightSight

Detects meeting participants, automatically moves the lens and adjusts the zoom so no one is left out of the picture

## RightLight

Intelligently adjusts video settings in all light conditions so everyone always looks their

#### RightSound

Al-driven voice leveling and unwanted noise suppression deliver outstanding clarity

## **One-Touch Join**

Optionally deploy with Tap to quickly and easily initiate meetings across Zoom, Microsoft Teams, and other cloud services

## SIMPLE TO MANAGE

## Logitech Sync

Single platform to monitor room health and keep devices up to date, plus insights on room occupancy

## **Deploy Updates at Scale**

Easily propagate upgrades and bug fixes to Rally Bar and your other supported Logitech

## Forward-Looking Architecture

Sync API is a robust foundation for new insights and integrations

## **Partner Dashboard Support**

Fully integrated with partner solutions like Microsoft Teams, Zoom, and others for a simplified device management experience





## **AUDIO**

## Room-filling Sound

Ultra low distortion speakers with RightSound™ convey every word with outstanding clarity

## Adaptive Beamforming Mic Array

Beamforming mics pick up voices at every seat and focus on the active talker while suppressing ambient noise

## **Expansion Ready**

Add up to two Rally mic pods for even greater coverage in larger settings

#### Ultra-HD Video

Brilliantly sharp video, outstanding color, and exceptional optical accuracy at resolutions up to 4K

**VIDEO** 

## **Expansive Room Coverage**

Mechanical pan and tilt covers rooms 163° across by 110° high, with exceptional image quality

## Cinema Quality

Logitech RightLight™ technology captures natural-looking skin tones, even in dim or backlit conditions

## Framed to Perfection

A second built-in camera lens has the ability to detect meeting participants, amplifying RightSight™ autoframing

AI VIEWFINDER

#### See Everyone Clearly

All meeting participants, even late arrivals, are automatically seen and included

## **Move About Freely**

Al Viewfinder uses scene awareness to keep the camera on the action

## **ACCESSORIES**



TV Mount for Video Bars

Securely mount Rally Bar Mini above or below a TV or monitor



Rally Mic Pod Extension Cable

Easily connect mic pods to Rally Bar with up to two 10m extension cables



Wall Mount for Video Bars

Neatly and confidently secure Rally Bar on the wall for minimal footprint



Rally Mic Pod Mount in Graphite and White

Hide cables and anchor mics on the table or ceiling for a clean, finished look



Rally Mic Pod in Graphite

Expand audio coverage and provide convenient access to mute controls



**Logitech Tap Controller** 

Deploy with Tap for easy onetouch to join



Rally Mic Pod in White

Expand audio coverage and provide convenient access to mute controls



Rally Mic Pod Hub

Customize microphone placement for your conference table configuration

## **TECH SPECS**

CERTIFICATIONS & COMPATIBILITY	GENERAL	CAMERA
Certifications: Zoom™ Certified, Certified for Microsoft Teams as a USB device. Contact the manufacturer for additional information on pending and granted certifications.  Compatibility: Plug and play USB connectivity with virtually any video conferencing application  Appliance Mode: Supports compatible video conferencing software in appliance mode (no PC required), including Zoom Rooms Appliances. Certification pending for Microsoft Teams Rooms on Android and additional video conferencing platforms.	Built-in Components: 6 beamforming microphones, PTZ camera, 3 speakers, Al Viewfinder, cable management & retention system, table stand, Logitech CollabOS platform  Enclosure: All-in-one enclosure with integrated table stand and patented speaker suspension system to eliminate vibration-induced camera shake and audio interference  Device Management: Logitech Sync  Displays Supported: 2  Display Resolution: Up to 4k	Resolution: 4K, 1440p, 1080p, 900p, 720p, and SD at 30fps Pan: Motorized ±25° Tilt: Motorized ±15° Zoom: 4X HD digital zoom Diagonal Field of View: 120° Horizontal Field of View: 80.7° Total Room Coverage (field of view + pan and tilt): 163° horizontal x 110° vertical
DIMENSIONS	SPEAKERS	RIGHTSENSE™ TECHNOLOGIES
Height: 91.4 mm/3.6 in  Width: 719 mm/2.36 ft  Depth: 101 mm/3.98 in  Lens Depth: 18.5 mm/0.73 in  Weight: 4.03 kgs/8.88 lbs	Woofer: 70mm/2.7in Mid-range: 2x/1.5in Output: 90dB SPL @1W, 99dB SPL @8.0W, both +/-2dB at ½ meter Sensitivity: 86+/-2dB SPL at 1W, ½ meter THD: 1kHz < 2% Speaker Sampling Rate: 48 kHz	RightLight™: Renders natural skin tones for each participant.  RightSight™: Maintains persistent room awareness and detects human figures to auto-frame participants.  RightSound™: Distinguishes speech from other sounds to auto-level voices while suppressing background noise and echo.



MICROPHONES	INTERFACES		POWER & CABLES		
Frequency Response: 90Hz-16kHz	HDMI Out: 2		Power Supply: Auto-sensing		
Sensitivity: >-36dBFS +/-1dB @ 1Pa Microphone Data Rate Output: 48 kHz Pickup Range: 4.5m/15 ft Beamforming Elements: Six omnidirectional digital MEMS microphones forming five adaptive acoustic broadside beams Audio Processing: AEC (Acoustic Echo Cancellation), VAD (Voice Activity Detector) Noise Suppression: Al filter Add-on Mics: Supports up to 2 additional Rally Mic Pods	HDMI In: 1  USB 3.0: 3x Type A, 1x Type C  Network: 10/100/1G Ethernet  WiFi: 802.11a/b/g/n/ac (MIMO)  External Mic Input: Yes (proprietary input supports optional Rally Mic Pod, Rally Mic Pod Hub, and Rally Mic Pod Extension Cable)  Remote Control: Bluetooth® Low Energy		Operating Voltage/Power: 100-240V, 19V, 4.74A  Power Supply Dimensions: 127mm x 51mm x 30mm  DC Cable: 1.5m/4.9 ft  AC Cable: 1m/3.28 ft  HDMI 1.4 Cable: 2m/6.5 ft  USB A to USB C 3.0 Cable: 2.2m/7.2 ft		
ENVIRONMENTAL	SECU	SECURITY		WARRANTY	
Operating Temperature: 0 to 40 °C Storage Temperature: -40 to 70 °C Humidity: 10 to 95% BTU/hr: 57 idle, 64 in meeting	Data Encryption: Symm Device Identity: Protect Device Access: Authent	Full Disk Encryption: AES-128 Data Encryption: Symmetric Keys, PKI Device Identity: Protected by device attestation Device Access: Authenticated using API Key Protection: Arm TrustZone, RPMP		Standard: 2-year limited hardware warranty included  Extended: Additional one-year extended warranty available at the time of hardware purchase. Contact your reseller for availability.	
PACKAGE CONTEN	TS	PRODUCT SPECS			
Rally Bar Mini USB cable Power supply Remote control AC power cord Lens caps for main lens and Al Viewfinder HDMI cable User documentation		Rally Bar Mini - Graph Part #: 960-001342 UPC: 097855162199	Rally Bar Mini - White Part #: 960-001354 UPC: 097855162250		

## logitech<sup>®</sup>

## www.logitech.com/RallyBarMini

Contact your reseller or contact us at www.logitech.com/vcsales

#### Logitech Americas

7700 Gateway Blvd. Newark, CA 94560 USA

Logitech Europe S.A. EPFL - Quartier de l'Innovation Daniel Borel Innovation Center CH - 1015 Lausanne

Logitech Asia Pacific Ltd. Tel: 852-2821-5900 Fax: 852-2520-2230

 $\hbox{@}$  2020 Logitech. Logitech, the Logitech logo and other Logitech marks are owned by Logitech and may be registered. All other trademarks are the properties of their respective owners. Logitech assumes no responsibility for any errors that may appear in this publication. Product, pricing and feature information contained herein is subject to change without notice.

Published October 2020