



# MICROSOFT TEAMS CERTIFIED AND COMPATIBLE<sup>1</sup> PERSONAL COLLABORATION SOLUTION MATRIX

Certified for Microsoft Teams<sup>®</sup> and Skype for Business, Logitech<sup>®</sup> webcams, headsets and docking station integrate seamlessly with what you already use and help you look and sound professional on video calls.


#### LOGITECH BUSINESS WEBCAMS, HEADSETS AND DOCKING STATION FOR MICROSOFT TEAMS

Elevate video meetings with Logitech's webcams, headsets and docking station that are easy to use, look professional, and come in form factors to suit every user's style and need.

Logitech business webcams, Logi Dock, Zone series and H-series headsets are designed for Microsoft<sup>®</sup> and tested end to end in Microsoft environments to ensure great user experiences and easier deployments, allowing you to easily connect wherever you are so everyone can work together as if they're in the same room.

### LOGITECH WEBCAM PORTFOLIO FOR MICROSOFT TEAMS

Logitech business webcams offer high-precision optics with autofocus for remarkable resolution and clarity to help you look your best. They are certified for Microsoft Teams<sup>®2</sup> and Skype for Business, along with firmware update support for I.T. peace of mind.<sup>3</sup> Brio can even integrate with Microsoft<sup>®</sup> Windows Hello<sup>™</sup> to log onto computers using facial recognition—no passwords needed.



# LOGITECH ZONE PORTFOLIO FOR MICROSOFT TEAMS

Logitech Zone headsets and earbuds are built for today's knowledge workers. They deliver superior audio quality with noise canceling mics that help enhance focus and productivity.

Certified for Microsoft Teams<sup>®</sup>, Logitech Zone headsets and earbuds are built to Microsoft's specification to ensure seamless integration in the workplace.









| Product Name                        | ZONE WIRED EARBUDS  | ZONE WIRED   | ZONE WIRELESS (PLUS)   | ZONE TRUE WIRELESS  |  |  |
|-------------------------------------|---|--|--|---|--|--|
| Wearing Style                       | In-ear stereo   | On ear stereo  | On ear stereo  | In-ear stereo   |  |  |
| Connectivity                        | 3.5mm audio jack <sup>6</sup> ,<br>USB-C + USB-A adapter <sup>7</sup> USB-C + USB-A adapter |  | USB-A receiver or Unifying + audio receiver (for Plus),<br>USB-C adapter, <i>Bluetooth®</i> connection (version 5.0) |   |  |  |
| Range                               | 4.8 ft/1.45 m cable length 6.3 ft/1.9 m cable length  |  | Up to 100 ft/30m wireless (open field line of sight)   |   |  |  |
| System<br>Compatibility             | Windows <sup>®</sup> , Mac,<br>ChromeOS™, iOS or<br>Android™                                | ChromeOS <sup>™</sup> , iOS or ChromeOS <sup>™</sup> |  | Windows®, Mac, ChromeOS™, iOS or Android™<br><i>Bluetooth®</i> enabled device |  |  |
| Audio Quality                       |   | Dynamic EQ wit                                       | h wideband audio   |   |  |  |
| Noise Isolation                     | Pass  | sive   | Active (ANC) & passive   |   |  |  |
| Noise Canceling Mic                 | Dual MEMS mic array<br>with DSP   | Dual ECM mics with DSP                               | Dual MEMS mic array<br>with DSP  | Dual MEMS mic array plus<br>an inward-facing mic                              |  |  |
| Mic Boom                            | Embedded  | Flexible & rotates 270°                              | Flexible & rotates 270°  | Embedded  |  |  |
| Mute Indicator                      | Red (on in-line contro  | oller); Voice prompts                                | Red (on receiver); Voice prompts   |   |  |  |
| In-Call Notification                | Purple LED (on ir   | n-line controller)                                   | Purple LED (on receiver)   |   |  |  |
| Controls                            | In-line controls  | In-line controls; Flip-to-<br>mute mic boom          | On-ear controls; Mute<br>button on mic boom &<br>flip-to-mute mic boom   | Touch controls on<br>earbuds  |  |  |
| Battery Life<br>(Talk time)         | -   | -  | 14 hours (ANC on);<br>15 hours (ANC off)   | Up to 5 hrs (ANC on);<br>Up to 6 hrs (ANC off)                                |  |  |
| Charging Time                       | -   | -  | 2 hrs  | Earbuds: 2 hrs 30 mins<br>Case: 2 hrs 30 mins                                 |  |  |
| Software Support                    |   | 🕪 Logi Tune  | O Logitech Sync  |   |  |  |
| 2-Year Limited<br>Hardware Warranty | ¥   |  |  |   |  |  |
| Certification                       | Certified for 8<br>Microsoft Teams  |  |  |   |  |  |
| Part Numbers                        |   |  |  |   |  |  |
| AMR, CAN, LAT                       | 981-001008  | 981-000871   | 981-000853/Plus: 981-000858  | Graphite: 985-001081  |  |  |
| EMEA, UK                            | 981-001009  | 981-000870   | 981-000854/Plus: 981-000859  | Graphite: 985-001082  |  |  |
| AP                                  | 981-001094  | 981-000871   | 981-000855/Plus: 981-000860  | Graphite: 985-001091  |  |  |
| CN                                  | 981-001010  | 981-000873   | 981-000856/Plus: 981-000861  | Graphite: 985-001083  |  |  |
| JP                                  | 981-001011  | 981-000872   | 981-000857/Plus: 981-000862  | Graphite: 985-001084  |  |  |

## LOGITECH H-SERIES BUSINESS HEADSETS FOR MICROSOFT TEAMS

Certified for Skype for Business and compatible with Microsoft Teams<sup>®</sup>, the classic Logitech H-series business headsets offer life-like sound in a simple and comfortable design, empowering busy professionals who need audio clarity in making easy, productive calls.



| Product Name                        | H570e WIRE  | ED HEADSET | H650e WIRI          | ED HEADSET                      |  | T WIRELESS<br>DSET          |  |
|-------------------------------------|---|------------|---------------------|---------------------------------|--|-----------------------------|--|
| Wearing Style Options               | On ear stereo and on ear mono   |            |                     | On ear binaural and on ear mono |  |                             |  |
| Range                               | 6.2 ft/1.9 m cable length   |            | 6.9 ft/2.1 m        | 6.9 ft/2.1 m cable length       |  | Up to 300 ft/100 m wireless |  |
| System Compatibility                | Windows $^{\circ}$ or Mac $^{\circ}$ with available USB-A port  |            |                     |                                 |  |                             |  |
| Audio Quality                       | Wideband audio  |            | Wideband audio      |                                 | Wideband or narrowband audio<br>via switch |                             |  |
| Sound Protection Compliance         | EN60950-1   |            |                     |                                 |  |                             |  |
| Noise Canceling Mic                 | Bi-directional ECM  |            |                     |                                 |  |                             |  |
| Adjustable Mic Boom                 | Flexible and 270° rotating boom; boom on either side  |            |                     |                                 |  |                             |  |
| Mute Indicator                      | Red (on in-line controller)   |            | Red (on in-li       | Red (on in-line controller)     |  | Red (on boom)               |  |
| In-Call Indicator                   | - Red (on boom)   |            | n boom)             | Red (on boom)                   |  |                             |  |
| Controls                            | On-ear controls for answering<br>In-line controller for answering/ending calls <sup>9</sup> , volume and mute ending calls <sup>9</sup> and volume; c<br>boom button for mute |            |                     | nd volume; on-                  |  |                             |  |
| Comfort                             | Cloth-covered, padded headband<br>and replaceable leatherette ear Leatherette headband and re<br>pads   |            | laceable leatherett | e ear pads                      |  |                             |  |
| Battery Life                        |   |            |                     | 10 h                            | 10 hours                                   |                             |  |
| Charging Time                       | 3 hours   |            |                     |                                 | ours                                       |                             |  |
| 2-Year Limited<br>Hardware Warranty | $\checkmark$  |            |                     |                                 |  |                             |  |
| Certification                       | (Compatible with Microsoft Teams)   |            |                     |                                 |  |                             |  |
| Part Numbers                        | Mono  | Stereo     | Mono                | Stereo                          | Mono                                       | Stereo                      |  |
| AMR, CAN, LAT                       | 981-000570  | 981-000574 | 981-000513          | 981-000518                      | 981-000511                                 | 981-000516                  |  |
| EMEA, UK                            | 981-000571  | 981-000575 | 981-000514          | 981-000519                      | 981-000512                                 | 981-000517                  |  |
| AUS                                 | -   | -          | -                   | -                               | 981-000512                                 | 981-000517                  |  |
| AP                                  | -   | 981-000574 | 981-000544          | 981-000545                      | -  | -                           |  |
| JP                                  | -   | 981-000580 | -                   | -                               | -  | -                           |  |
| Replaceable ear pads                | 952-000064  | 952-000064 | 993-000814          | 993-000814                      | 993-000814                                 | 993-000814                  |  |

#### LOGI DOCK FOR MICROSOFT TEAMS



Created for your hybrid workforce, Logi Dock is an all-in-one docking station that eliminates excess wires, adaptors, and power plugs at the desk. Logi Dock ensures an efficient, failsafe meeting experience across your teams with simple meeting controls and ambient lighting to alert workers of upcoming video calls. It's easy to deploy, set-up and use with clever controls and a professional-grade speakerphone.

| Product Name   |   | LOGI DOCK   |   |  |  |  |
|--|---|---|---|--|--|--|
| Audio  | Microphone Type 6 be  | 6 beamforming mics with advanced algorithms   |   |  |  |  |
|  | Sound Quality Crys  | stal-clear sound delivered by 2 custom 55 mm neodymium audio drivers and 2 passive radiators  |   |  |  |  |
|  |   | Automatically switch the audio between the built-in speakerphone and Zone True Wireless earbuds/Zone Wireless<br>(Plus) headset (This feature will be available soon)   |   |  |  |  |
| Docking Station  | Power to System Up  | Up to 100 watt charging   |   |  |  |  |
|  | Security Slot Type Ken  | Kensington security slot  |   |  |  |  |
|  | 1 x [<br>2 x<br>Ports 3 x<br>1 x (  | 1 x HDMI v. 2.0 (Support up to 4K, i.e. 3840 x 2160 @60Hz HDR)<br>1 x DisplayPort 1.4 (Support up to 4K, i.e. 3840 x 2160 @60Hz HDR)<br>2 x USB-A<br>• 1 x USB3.1 Gen 1 (5 Gbps) with 4.5W charging<br>• 1 x USB3.1 Gen 1 (5 Gbps) with 7.5W fast charging<br>3 x USB-C<br>• 2 x USB3.1 Gen 1 (5 Gbps) with 4.5W charging<br>• 1 x USB3.1 Gen 1 (5 Gbps) with 4.5W charging<br>1 x USB3.1 Gen 1 (5 Gbps) with 7.5W fast charging<br>1 x USB3.1 Gen 1 (5 Gbps) with 7.5W fast charging<br>1 x USB-C Upstream<br>1 x AC power (230 W, 19.5 V) |   |  |  |  |
| Controls and Alerts  | Controls One  | One-touch meeting controls <sup>10</sup> , volume/mute/video/call controls, <i>Bluetooth®</i> pairing <sup>11</sup> , invoke Microsoft Teams®   |   |  |  |  |
|  | Audio Alerts Son  | Sonification  |   |  |  |  |
|  |   | Light indicators for mute on/off, video on/off, incoming/active call; Ambient light for upcoming meetings and in-call status  |   |  |  |  |
|  | Customization Three   | Through Logi Tune, sync your calendar to join video meetings with one touch, customize EQ and button  |   |  |  |  |
| System Compatibility   | Works with Windows®, macOS or Chrome™ based computers via USB-C with Alt Mode, and iOS or Android™ Bluetooth®-enabled devices   |   |   |  |  |  |
| Dimensions   | Height x Width x Depth:<br>84.8 x 160.0 x 131.5 mm<br>3.34 x 6.30 x 5.18 in   |   |   |  |  |  |
| Weight   | 0.942 kg / 33.23 oz   |   |   |  |  |  |
|  | AMR, CAN, MX, PH: 986-00  | 0015 <b>CN:</b> 986-000022  | CH (Switzerland): 986-000045  |  |  |  |
| Part Numbers   | LAT: 986-000017   | JP: 986-000023  | India: 986-000053   |  |  |  |
| Part Numbers   | EMEA, UK, KOR, SEA: 986-0   | 00020 <b>TW:</b> 986-000046   | <b>SA:</b> 986-000047   |  |  |  |
| Extended Warranty  | AUS: 986-000021<br>Ensure optimal performance of your Logitech video collaboration device for up to five years with the Extended Warranty for Logi Dock, which adds either one or three additional years to the standard two-year limited hardware warranty.<br>Contact your reseller for availability <sup>12</sup> .<br>Standard two-year limited hardware warranty included. |   |   |  |  |  |
| ontact your reseller<br>contact us at<br>ww.logitech.com/vcsales | Logitech Americas<br>7700 Gateway Blvd.<br>Newark, CA 94560 USA<br>Logitech Europe S.A.<br>EPFL - Quartier de l'Innovati<br>Daniel Borel Innovation<br>Center<br>CH - 1015 Lausanne<br>Logitech Asia Pacific Ltd.<br>Tel : 852-2821-5900  | Bria are certified for Microsoft Teams<br><sup>3</sup> Available only for C930e and Bria<br><sup>4</sup> Requires software download<br><sup>5</sup> Mics are enabled by default for part number<br>logitech.com/tune<br><sup>6</sup> Mic and audia quality will convert to analog<br><sup>7</sup> Only use the USB-A adapter with this headse<br><sup>8</sup> Zone Wired meets Microsoft's premium micr<br><sup>9</sup> With Skype for Business out of the box. For C<br>prosuport.logi.com   | et<br>ophone for open office requirement<br>isco® IP phones and Jabber® deployment install the Cisco plug-in that can be download<br>tune for calendar integration with Office 365 and one-touch meeting controls               |  |  |  |
|  | Tel : 852-2821-5900<br>Fax : 852-2520-2230  |   | and other Logitech marks are owned by Logitech and may be registered. All other trade<br>Logitech assumes no responsibility for any errors that may appear in this publication. Pro<br>rein is subject to change without notice |  |  |  |

pricing and feature information contained herein is subject to change without notice.

Published June 2022